DEC 2 2 2006

PATENT
THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Toshiki KAWASOME

Appl. No.:

10/073,929

Group Art Unit:

2629

Filed: February 14th, 2002

Examiner: Vijay Shankar

For: INPUT SYSTEM, PROGRAM AND RECORDING MEDIUM

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Sir:

RESPONSE TO NOTICE REGARDING DRAWINGS

In response to the Notice Regarding Drawings, mailed October 25, 2006, applicant respectfully submits nine (9) sheets of formal drawings.

It is believed that no fee is involved with this filing. However, should this be incorrect, then please debit Account 50-0548 and notify the undersigned.

Respectfully submitted,

William C. Schrot

Registration No. 48,447 Attorney for Applicant

Berenato, White & Stavish, LLC 6550 Rock Spring Drive, Ste. 240 Bethesda, Maryland 20817 (301)896-0600







UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER 10/073,929

FILING/RECEIPT DATE 02/14/2002

FIRST NAMES APPLICANT

TOSHIKI KAWASOME

ATTORNEY DOCKET NUMBER

6304.620

Paper Number

DUCKETED

OCT 3 0 2006

Examiner SHANKAR, VIJAY

JOSEPH W. BERENATO, III Berensto, White & StavArt Unit LINIAK, BERENATO, LONGACRE & WHITE, LLC

STE. 240

6550 ROCK SPRING DRIVE BETHESDA, MD 20817

2629

Date Mailed: 10/25/2006

Notice Regarding Drawings

Corrected drawings for the above-identified application, received in the USPTO on 02/06/2004 are still not acceptable for the reason(s) identified below. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

LB Radoll

Clifton B. Randolph

Office of Patent Publication,

Publishing Division 703-305-0333 ext-128 If you have questions, call (703) 305-8404.



U.S. DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

and the section of t	drawings are required.	O ADDIANCE CONTROL OF
Color (2 sets required). Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 8. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS, 37 CFR 1.84(f) Lines, numbers & letters not uniformly thick and well defined, clean, dyrable, and black (poor lin quilty). Fig(s) 11. SHADING. 37 CFR 1.84(m) Solid black area pale. Fig(s) Solid black standing not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS, 37 CFR 1.84(m) Solid black area pale. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS, 37 CFR 1.84(m) Solid black area pale. Fig(s) Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS, 37 CFR 1.84(m) Solid black area pale. Fig(s) Fig(s) 13. LEAD LINES, 37 CFR 1.84(p) Fig(s) 14. NUMBERS, LETTERS, & REFERENCE CHARACTERS, 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view, 37 CFR 1.84(p) Fig(s) 14. NUMBERS, LETTERS, 37 CFR 1.84(p) Fig(s) 15. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(p) Solid black area pale. Fig(s) 15. LEAD LINES, 37 CFR 1.84(p) Lead lines missing, Fig(s) 16. DESIGN DRAWINGS, 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) Solid black stration as the view, 37 CFR 1.84(p) Lead lines missing, Fig(s) 15. Lead lines missing, Fig(s) 16. DESIGN DRAWINGS, 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) Solid black strates shading shown not appropriate. Fig(s) Solid black strates and reference characters must be a the same direction as the view 37 CFR	l. DRAWINGS. 37 CFR 1.84(a): Acceptable	8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i)
Loolor drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) STYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) STYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sizes: Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Bottom (B) SVIEWS. 37 CFR 1.84(h) Bottom (B) SVIEWS. 37 CFR 1.84(h) Bottom (B) SVIEWS. 37 CFR 1.84(h) Seale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) IO. CHARACTER OF LINES, NUMBERS, & LETTERS, 37 CFR 1.84(h) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor ling quality). Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Fig(
granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) RTYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Frasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Frasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins: Fop 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Figure legends are ference characters must the same size. Shedis, 37 CFR 1.84(p) Fig(s) Fig		
Pencil and non black ink not permitted. Fig(s) PhOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Pagers acceptable fig(s) Pig(s) Paper not flexible, strong, white, and durable. Fig(s) Pig(s) Paper not flexible, strong, white, and durable. Fig(s) Pig(s) Paper not flexible, strong, white, and durable. Fig(s) Pig(s) Paper not flexible, strong, white, and durable. Fig(s) Pig(s) Paper not flexible, strong, white, and durable. Fig(s) Pig(s) Paper not flexible, strong, white, and durable. Fig(s) Pig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible acceptable figes: Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, and burable. Fig(s) Paper not flexible, strong, whi		•
2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Size OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Top (T) Left (L) Right (R) Solimblase be changed. Wiews not labeled separately or properly. Fig(s) Solimblase to used. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Fig(s) Solimblase transport to the same size. Sheet(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig		
without crowding when drawing is reduced in size to two-thirds in reproduction. Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Cerasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Section or by 27.9 cm (BIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Bottom (B) S. VIEWS. 37 CFR 1.84(h) Solid black areas pale. Fig(s) Top (T) Left (L) Right (R) Bottom (B) S. VIEWS. 37 CFR 1.84(h) Solid black bading not permitted. Fig(s) Top (T) Left (L) Right (R) Solid black bading not permitted. Fig(s) Top (T) Left (L) Right (R) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters most oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Top (T) Left (L) Right (R) Solid black bading not permitted. Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters most oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Lead lines missing. Fig(s) 13. Lead Lines. Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) Solid black surface shading is not permitted executive device when used to represent the color black as well as color contrast. Fig(s)		
Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 1. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Size OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Size OF PAPER. Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is hanged to Fig. 1A, Fig IB and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, nust likewise be changed. Views not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS, 37 CFR 1.84(l) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor lin quality). Fig(s) 11. SHADING. 37 CFR 1.84(m) SHADING. 37 CFR 1.84(m) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Fig(s) 12. NIMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(p) Numbers beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in A		
Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sloid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARCTERS. 37 CFR 1.84(g). Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARCTERS. 37 CFR 1.84(p). Numbers and reference characters not plain and legible. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) Seminoble Representation of drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings in the same direction as the view. 37 CFR 1.84(p) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Paper not flexible, strong, white, and durable. Lead lien, clean, durable, and black (poor ling quality). Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, & LETTERS, NUMBERS, & LETTERS, and public k proor ling quality. Fig(s) Numbers alters not uniformly thick and well defined, clean, durable and black (poor ling quality). Fig(s) Solid black areas pale. Fig(s) 12. NUMBERS, & LETTERS, and Fig. 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Fig(s		•
37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Ferasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Right (R) Bottom (B) S. VIEWS. 37 CFR 1.84(h) Reminded to Fig. 1A, Fig 1B and Fig. 1C, etc., the schanged to Fig. 1A, Fig 1B and Fig. 1C, etc., the schanged to Fig. 1A, Fig 1B and Fig. 1C, etc., the schanged. Views not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) S. VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) S. VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) S. VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black sardan numbers. Fig(s) Solid black harding not permitted. Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig		
Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) S. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) S. VIEWS. 37 CFR 1.84(h) Solid black areas pale. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) F		
S. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Slize OF PAPER. 37 CFR 1.84(g): Acceptable sizes: Slize OF PAPER. 37 CFR 1.8		
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) A SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is shanged to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not prian and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height 37 CFR 1.84(p)(2) Fig(s) 13. LEAD LINES. 37 CFR 1.84(p)(2) Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(q) Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black saraes pale. Fig(s) Numbers and reference characters not priant and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not priant and legible. Fig(s) Numbers letters and reference characters must be at least 32 cm (1/8 inch) in height, 37 CFR 1.84(p)(2) Fig(s) Solid black saraes pale. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) 13. LEA		LEFIERS. 3/ CFK 1.84(1)
Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Top (T) Left (L) Right (R) Bottom (B) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s)		Lines, numbers & letters not uniformly thick and
Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 8. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 11. 0 cm by 29.7 cm (DIN size A4) or 12.10 cm by 27.9 cm (B 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) Solid black sards pale. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) In MARGINS. 37 CFR 1.84(p) Fig(s) Solid black sarding not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) In MARGINS. 37 CFR 1.84(p) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) Lead lines missing. Fig(s) 13. LEAD LINES. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) In MARGINS. 37 CFR 1.84(p) Fig(s) In MARGINS. 37 CFR 1.84(p) Fig(s) In MARGINS. 37 CFR 1.84(p) In Marcins are freence characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) In MARCINS. 37 CFR 1.84(p) In Marcins are freence characters not plain and legible. Fig(s) Fig(s) In MARCINS. 37 CFR 1.84(p) In Marcins are freence characters not plain and legible. Fig(s) In Marcins are freence characters not plain and legible. Fig(s) In Marcins are freence characters not plain and legible. Fig(s) In Marcins are freence characters not plain and legible. Fig(s) In Marcins are free		
Solid black areas pale. Fig(s)		
Solid black shading not permitted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Fop 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) EXMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the yier install likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Sheet(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Solid black shading not permitted. Fig(s) Left (L) Numbers and reference characters not prient the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Fig(s) 13. LEAD LINES. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Sheet(s) 14. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, b		
12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Drawings sheets not an acceptable size. Fig(s) Sheat(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers letters		
CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2:5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) S. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) F		
Numbers and reference characters not plain and legible. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s	· · · · · · · · · · · · · · · · · · ·	
legible. Fig(s) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Frop 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) Sc. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excurate. Iegible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) Lead lines missing. Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted excurate when used to represent the color black as well as color contrast. Fig(s)		
All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Fig 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) S. VIEWS. 37 CFR 1.84(h) S. WIEWS. 37 CFR 1.84(h) S. Wiews not labeled separately or properly. Fig(s) To publication at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sheets not an acceptable size. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) F		
Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p). 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the precification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exceptable margins: the same direction as the view. 37 CFR 1.84(p) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters mot oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Lenglish alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters mot oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Lenglish alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exceptable and the price of the price of the part of		O (
the same direction as the view. 37 CFR 1.84(p) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Frop 2.5 cm Left 2:5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) The same direction as the view. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 1.8.4(p)(3). Fig(s) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted exception of the color black as well as color contrast. Fig(s)	-	
Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2:5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) S. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exception of the color black as well as color contrast. Fig(s)	· · · · · · · · · · · · · · · · · · ·	
English alphabet not used. 37 CFR 1.84(p)(2)		
Margins not acceptable. Fig(s)		
Top (T) Left (L) Right (R) Bottom (B) 5. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Numbers, letters and reference characters must to at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 1. S4(p)(3). Fig(s) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exceed when used to represent the color black as well as color contrast. Fig(s)		
at least 32 cm (1/8 inch) in height. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excember used to represent the color black as well as color contrast. Fig(s)		
1.84(p)(3). Fig(s) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS on the numbers beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
Lead lines missing. Fig(s)		
changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
Thust likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		15 NIMBERING OF VIEWS 37 CFR 1 84(n)
Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	7 SECTIONAL VIEWS 37 CED 1 84/k)(3)	
Arabic or Roman numbers. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exce when used to represent the color black as well as color contrast. Fig(s)	·	
Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	Arabic or Roman numbers. Fig(s)	
Solid black surface shading is not permitted exco when used to represent the color black as well as color contrast. Fig(s)		
when used to represent the color black as well as color contrast. Fig(s)		
color contrast. Fig(s)		
	DMMENTS:	5(7)